

The ifvtex package

Heiko Oberdiek
<oberdiek@uni-freiburg.de>

2008/11/04 v1.4

Abstract

This package looks for VT_EX, implements and sets the switches `\ifvtex`, `\ifvtex<mode>`, `\ifvtexgex`. It works with plain or L^AT_EX formats.

Contents

1	Usage	1
2	Implementation	2
2.1	Reload check and package identification	2
2.2	Catcodes	3
2.3	Check for previously defined <code>\ifvtex</code>	4
2.4	<code>\ifvtex</code>	4
2.5	Mode and GeX switches	4
2.6	Protocol entry	5
3	Test	5
3.1	Catcode checks for loading	5
4	Installation	7
4.1	Download	7
4.2	Bundle installation	7
4.3	Package installation	7
4.4	Refresh file name databases	8
4.5	Some details for the interested	8
5	History	8
	[2001/09/26 v1.0]	8
	[2006/02/20 v1.1]	8
	[2007/01/10 v1.2]	8
	[2007/09/09 v1.3]	9
	[2008/11/04 v1.4]	9
6	Index	9

1 Usage

The package ifvtex can be used with both plain- $\text{T}_{\text{E}}\text{X}$ and L^A $\text{T}_{\text{E}}\text{X}$:

plain- $\text{T}_{\text{E}}\text{X}$: `\input ifvtex.sty`

L^A $\text{T}_{\text{E}}\text{X}$ 2_ε: `\usepackage{ifvtex}`

The package implements switches for \TeX and its different modes and interprets `\TeXversion`, `\OpMode`, and `\gexmode`.

`\ifvtex`

The package provides the switch `\ifvtex`:

```
\ifvtex
... do things, if  $\text{\TeX}$  is running ...
\else
... other  $\text{\TeX}$  compiler ...
\fi
```

Users of the package `ifthen` can use the switch as boolean:

```
\boolean{ifvtex}
```

`\ifvtexdvi`
`\ifvtexpdf`
`\ifvtexps`
`\ifvtexhtml`

\TeX knows different output modes that can be asked by these switches.

`\ifvtexgex`

This switch shows, whether GeX is available.

2 Implemenation

2.1 Reload check and package identification

```
1 <*package>
```

Reload check, especially if the package is not used with \LaTeX .

```
2 \begingroup
3   \catcode44 12 % ,
4   \catcode45 12 % -
5   \catcode46 12 % .
6   \catcode58 12 % :
7   \catcode64 11 % @
8   \catcode123 1 % {
9   \catcode125 2 % }
10  \expandafter\let\expandafter\x\csname ver@ifvtex.sty\endcsname
11  \ifx\x\relax % plain-TeX, first loading
12  \else
13    \def\empty{}%
14    \ifx\x\empty % LaTeX, first loading,
15      % variable is initialized, but \ProvidesPackage not yet seen
16    \else
17      \catcode35 6 % #
18      \expandafter\ifx\csname PackageInfo\endcsname\relax
19        \def\x#1#2{%
20          \immediate\write-1{Package #1 Info: #2.}%
21        }%
22      \else
23        \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
24      \fi
25      \x@ifvtex{The package is already loaded}%
26  \aftergroup\endinput
```

```

27   \fi
28   \fi
29 \endgroup
Package identification:
30 \begingroup
31   \catcode35 6 % #
32   \catcode40 12 % (
33   \catcode41 12 % )
34   \catcode44 12 % ,
35   \catcode45 12 % -
36   \catcode46 12 % .
37   \catcode47 12 % /
38   \catcode58 12 % :
39   \catcode64 11 % @
40   \catcode91 12 % [
41   \catcode93 12 % ]
42   \catcode123 1 % {
43   \catcode125 2 % }
44   \expandafter\ifx\csname ProvidesPackage\endcsname\relax
45     \def\x#1#2#3[#4]{\endgroup
46       \immediate\write-1{Package: #3 #4}%
47       \xdef#1{#4}%
48     }%
49   \else
50     \def\x#1#2[#3]{\endgroup
51       #2[#{#3}]%
52       \ifx#1\@undefined
53         \xdef#1{#3}%
54       \fi
55       \ifx#1\relax
56         \xdef#1{#3}%
57       \fi
58     }%
59   \fi
60 \expandafter\x\csname ver@ifvtex.sty\endcsname
61 \ProvidesPackage{ifvtex}%
62 [2008/11/04 v1.4 Switches for detecting VTeX and its modes (HO)]

```

2.2 Catcodes

```

63 \begingroup
64   \catcode123 1 % {
65   \catcode125 2 % }
66   \def\x{\endgroup
67     \expandafter\edef\csname ifvtex@AtEnd\endcsname{%
68       \catcode35 \the\catcode35\relax
69       \catcode64 \the\catcode64\relax
70       \catcode123 \the\catcode123\relax
71       \catcode125 \the\catcode125\relax
72     }%
73   }%
74 \x
75 \catcode35 6 % #
76 \catcode64 11 % @
77 \catcode123 1 % {
78 \catcode125 2 % }
79 \def\TMP@EnsureCode#1#2{%
80   \edef@ifvtex@AtEnd{%
81     \ifvtex@AtEnd
82     \catcode#1 \the\catcode#1\relax
83   }%
84   \catcode#1 #2\relax
85 }

```

```

86 \TMP@EnsureCode{10}{12}% ^^J
87 \TMP@EnsureCode{39}{12}% '
88 \TMP@EnsureCode{44}{12}% ,
89 \TMP@EnsureCode{45}{12}% -
90 \TMP@EnsureCode{46}{12}% .
91 \TMP@EnsureCode{47}{12}% /
92 \TMP@EnsureCode{58}{12}% :
93 \TMP@EnsureCode{60}{12}% <
94 \TMP@EnsureCode{61}{12}% =
95 \TMP@EnsureCode{62}{12}% >
96 \TMP@EnsureCode{94}{7}% ^
97 \TMP@EnsureCode{96}{12}% '

```

2.3 Check for previously defined \ifvtex

```

98 \begingroup
99   \expandafter\ifx\csname ifvtex\endcsname\relax
100   \else
101     \edef\i/{\expandafter\string\csname ifvtex\endcsname}%
102     \expandafter\ifx\csname PackageError\endcsname\relax
103       \def\x#1#2{%
104         \edef\z{#2}%
105         \expandafter\errhelp\expandafter{\z}%
106         \errmessage{Package ifvtex Error: #1}%
107       }%
108       \def\y{^^J}%
109       \newlinechar=10 %
110     \else
111       \def\x#1#2{%
112         \PackageError{ifvtex}{#1}{#2}%
113       }%
114       \def\y{\MessageBreak}%
115     \fi
116     \x{Name clash, \i/ is already defined}{%
117       Incompatible versions of \i/ can cause problems,\y
118       therefore package loading is aborted.%
119     }%
120   \endgroup
121   \ifvtex@AtEnd
122   \expandafter\endinput
123 \fi
124 \endgroup

```

2.4 \ifvtex

`\ifvtex` Create and set the switch. `\newif` initializes the switch with `\iffalse`.

```

125 \newif\ifvtex

126 \begingroup\expandafter\expandafter\expandafter\endgroup
127 \expandafter\ifx\csname VTeXversion\endcsname\relax
128 \else
129   \begingroup\expandafter\expandafter\expandafter\endgroup
130   \expandafter\ifx\csname OpMode\endcsname\relax
131   \else
132     \vtexttrue
133   \fi
134 \fi

```

2.5 Mode and GeX switches

```

135 \newif\ifvtexdvi
136 \newif\ifvtexpdf
137 \newif\ifvtexps
138 \newif\ifvtexhtml

```

```

139 \newif\ifvtexgex
140 \ifvtex
141   \ifcase\OpMode\relax
142     \vtexdvitrue
143   \or % 1
144     \vtexpdftrue
145   \or % 2
146     \vtexpstrue
147   \or % 3
148     \vtexpstrue
149   \or\or\or\or\or\or\or % 10
150     \vtexhtmltrue
151   \fi
152 \begingroup\expandafter\expandafter\expandafter\endgroup
153 \expandafter\ifx\csname gexmode\endcsname\relax
154 \else
155   \ifnum\gexmode>0 %
156     \vtexgextrue
157   \fi
158 \fi
159 \fi

```

2.6 Protocol entry

Log comment:

```

160 \begingroup
161   \expandafter\ifx\csname PackageInfo\endcsname\relax
162     \def\x#1#2{%
163       \immediate\write-1{Package #1 Info: #2.}%
164     }%
165   \else
166     \let\x\PackageInfo
167     \expandafter\let\csname on@line\endcsname\empty
168   \fi
169   \x{ifvtex}{%
170     VTeX %
171     \ifvtex
172       in \ifvtexdvi DVI\fi
173       \ifvtexpdf PDF\fi
174       \ifvtexps PS\fi
175       \ifvtexhtml HTML\fi
176       \space mode %
177       with\ifvtexgex\else out\fi\space GeX %
178     \else
179       not %
180     \fi
181     detected%
182   }%
183 \endgroup
184 \ifvtex@AtEnd
185 \endpackage

```

3 Test

3.1 Catcode checks for loading

```

186 (*test1)
187 \catcode'\{=1 %
188 \catcode'\}=2 %
189 \catcode'\#=6 %
190 \catcode'\@=11 %

```

```

191 \expandafter\ifx\csname count@\endcsname\relax
192   \countdef\count@=255 %
193 \fi
194 \expandafter\ifx\csname @gobble\endcsname\relax
195   \long\def\@gobble#1{}%
196 \fi
197 \expandafter\ifx\csname @firstofone\endcsname\relax
198   \long\def\@firstofone#1{#1}%
199 \fi
200 \expandafter\ifx\csname loop\endcsname\relax
201   \expandafter\@firstofone
202 \else
203   \expandafter\@gobble
204 \fi
205 {%
206   \def\loop#1\repeat{%
207     \def\body{#1}%
208     \iterate
209   }%
210   \def\iterate{%
211     \body
212     \let\next\iterate
213   \else
214     \let\next\relax
215   \fi
216   \next
217 }%
218 \let\repeat=\fi
219 }%
220 \def\RestoreCatcodes{}
221 \count@=0 %
222 \loop
223   \edef\RestoreCatcodes{%
224     \RestoreCatcodes
225     \catcode\the\count@=\the\catcode\count@\relax
226   }%
227 \ifnum\count@<255 %
228   \advance\count@ 1 %
229 \repeat
230
231 \def\RangeCatcodeInvalid#1#2{%
232   \count@=#1\relax
233   \loop
234     \catcode\count@=15 %
235   \ifnum\count@<#2\relax
236     \advance\count@ 1 %
237   \repeat
238 }
239 \expandafter\ifx\csname LoadCommand\endcsname\relax
240   \def\LoadCommand{\input ifvtex.sty\relax}%
241 \fi
242 \def\Test{%
243   \RangeCatcodeInvalid{0}{47}%
244   \RangeCatcodeInvalid{58}{64}%
245   \RangeCatcodeInvalid{91}{96}%
246   \RangeCatcodeInvalid{123}{255}%
247   \catcode'\@=12 %
248   \catcode'\=0 %
249   \catcode'\{=1 %
250   \catcode'\}=2 %
251   \catcode'\#=6 %
252   \catcode'\[=12 %

```

```

253 \catcode'\]=12 %
254 \catcode'\%=14 %
255 \catcode'\ =10 %
256 \catcode13=5 %
257 \LoadCommand
258 \RestoreCatcodes
259 }
260 \Test
261 \csname @@end\endcsname
262 \end
263 </test1>

```

4 Installation

4.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/ifvtex.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/ifvtex.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for T_EX Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

4.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```

chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/

```

4.3 Package installation

Unpacking. The `.dtx` file is a self-extracting docstrip archive. The files are extracted by running the `.dtx` through plain-T_EX:

```
tex ifvtex.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```

ifvtex.sty      → tex/generic/oberdiek/ifvtex.sty
ifvtex.pdf      → doc/latex/oberdiek/ifvtex.pdf
test/ifvtex-test1.tex → doc/latex/oberdiek/test/ifvtex-test1.tex
ifvtex.dtx      → source/latex/oberdiek/ifvtex.dtx

```

¹[ftp://ftp.ctan.org/tex-archive/](http://ftp.ctan.org/tex-archive/)

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

4.4 Refresh file name databases

If your \TeX distribution (`te \TeX` , `mik \TeX` , ...) relies on file name databases, you must refresh these. For example, `te \TeX` users run `texhash` or `mktextlsr`.

4.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk ifvtex.pdf unpack_files output .
```

Unpacking with \LaTeX . The `.dtx` chooses its action depending on the format:

plain- \TeX : Run `docstrip` and extract the files.

\LaTeX : Generate the documentation.

If you insist on using \LaTeX for `docstrip` (really, `docstrip` does not need \LaTeX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{ifvtex.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with `pdf \LaTeX` :

```
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
```

5 History

[2001/09/26 v1.0]

- First public version.

[2006/02/20 v1.1]

- DTX framework.
- Undefined tests changed.

[2007/01/10 v1.2]

- Fix of the `\ProvidesPackage` description.

[2007/09/09 v1.3]

- Catcode section added.

[2008/11/04 v1.4]

- Bug fix: Misspelled \OpMode (found by Hideo Umeki).

6 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	I
\# 189, 251	\i 101, 116, 117
\% 254	\ifcase 141
\@ 190, 247	\ifnum 155, 227, 235
\@firstofone 198, 201	\ifvtx 2, 125, 140, 171
\@gobble 195, 203	\ifvtx@AtEnd 80, 81, 121, 184
\@undefined 52	\ifvtxdvi 2, 135, 172
\[..... 252	\ifvtxgex 2, 139, 177
\] 248	\ifvtxhtml 2, 138, 175
\{ 187, 249	\ifvtxpdf 2, 136, 173
\} 188, 250	\ifvtxps 2, 137, 174
\] 253	\ifx 11, 14,
	18, 44, 52, 55, 99, 102, 127, 130,
	153, 161, 191, 194, 197, 200, 239
_ 255	\immediate 20, 46, 163
	\input 240
	\iterate 208, 210, 212
	L
	\LoadCommand 240, 257
	\loop 206, 222, 233
	M
	\MessageBreak 114
	N
	\newif 125, 135, 136, 137, 138, 139
	\newlinechar 109
	\next 212, 214, 216
	O
	\OpMode 141
	P
	\PackageError 112
	\PackageInfo 23, 166
	\ProvidesPackage 15, 61
	R
	\RangeCatcodeInvalid 231, 243, 244, 245, 246
	\repeat 206, 218, 229, 237
	\RestoreCatcodes .. 220, 223, 224, 258
	S
	\space 176, 177
	T
	\Test 242, 260

	G
\gexmode 155	

<code>\the</code>	68, 69, 70, 71, 82, 225				W
<code>\TMP@EnsureCode</code>	79, 86, 87,		<code>\write</code>	20, 46, 163	
	88, 89, 90, 91, 92, 93, 94, 95, 96, 97				
					X
		V	<code>\x</code> .	10, 11, 14, 19, 23, 25, 45, 50, 60,	
<code>\vtexdvitrue</code>	142			66, 74, 103, 111, 116, 162, 166, 169	
<code>\vtexgextrue</code>	156				Y
<code>\vtexhtmltrue</code>	150		<code>\y</code>	108, 114, 117	
<code>\vtexpdftrue</code>	144				Z
<code>\vtexpstrue</code>	146, 148		<code>\z</code>	104, 105	
<code>\vtextrue</code>	132				