

The `setouterhbox` package

Heiko Oberdiek
<oberdiek@uni-freiburg.de>

2007/09/09 v1.7

Abstract

If math stuff is set in an `\hbox`, then TeX performs some optimization and omits the implicate penalties `\binoppenalty` and `\relpenalty`. This packages tries to put stuff into an `\hbox` without getting lost of those penalties.

Contents

1	Documentation	2
1.1	Introduction	2
1.2	Acknowledgement	2
1.3	Usage	2
1.4	Option <code>hyperref</code>	3
1.5	Example	3
2	Implementation	3
2.1	Package start stuff	3
2.2	Interface macros	5
2.3	Main part	5
2.4	Environment support	8
2.5	Option <code>hyperref</code>	8
3	Test	9
3.1	Catcode checks for loading	9
3.2	Test with package <code>url</code>	10
4	Installation	11
4.1	Download	11
4.2	Bundle installation	11
4.3	Package installation	11
4.4	Refresh file name databases	11
4.5	Some details for the interested	12
5	References	12
6	History	12
	[2005/10/05 v1.0]	12
	[2005/10/07 v1.1]	12
	[2005/10/18 v1.2]	13
	[2006/02/12 v1.3]	13
	[2006/08/26 v1.4]	13
	[2007/04/26 v1.5]	13
	[2007/05/17 v1.6]	13
	[2007/09/09 v1.7]	13

1 Documentation

1.1 Introduction

There is a situation in `hyperref`'s driver for `dvips` where the user wants to have links that can be broken across lines. However `dvips` doesn't support the feature. With option `breaklinks` `hyperref` sets the links as usual, put them in a box and write the link data with box dimensions into the appropriate `\specials`. Then, however, it does not set the complete unbreakable box, but it unwrappes the material inside to allow line breaks. Of course line breaking and glue setting will falsify the link dimensions, but line breaking was more important for the user.

1.2 Acknowledgement

Jonathan Fine, Donald Arsenau and me discussed the problem in the newsgroup `comp.text.tex` where Damian Menscher has started the thread, see [1].

The discussion was productive and generated many ideas and code examples. In order to have a more permanent result I wrote this package and tried to implement most of the ideas, a kind of summary of the discussion. Thus I want and have to thank Jonathan Fine and Donald Arsenau very much.

Two weeks later David Kastrup (posting in `comp.text.tex`, [2]) remembered an old article of Michael Downes ([3]) in TUGboat, where Michael Downes already presented the method we discuss here. Nowadays we have ε -TeX that extends the tool set of a TeX macro programmer. Especially useful ε -TeX was in this package for detecting and dealing with errorneous situations.

However also nowadays a perfect solution for the problem is still missing at macro level. Probably someone has to go deep in the internals of the TeX compiler to implement a switch that let penalties stay where otherwise TeX would remove them for optimization reasons.

1.3 Usage

Package loading. L^ATeX: as usually:

```
\usepackage{setouterhbox}
```

The package can also be included directly, thus plain-TeX users write:

```
\input setouterhbox.sty
```

Register allocation. The material will be put into a box, thus we need to know these box number. If you need to allocate a new box register:

L^ATeX: `\newsavebox{\langle name \rangle}`

plain-TeX: `\newbox\langle name \rangle`

Then `\langle name \rangle` is a command that held the box number.

Box wrapping. L^ATeX users put the material in the box with an environment similar to `lrbox`. The environment `setouterhbox` uses the same syntax and offers the same features, such as verbatim stuff inside:

```
\begin{setouterhbox}\langle box number \rangle...\end{setouterhbox}
```

Users with plain-TeX do not have environments, they use instead:

```
\setouterhbox\langle box number \rangle...\endsetouterhbox
```

In both cases the material is put into an `\hbox` and assigned to the given box, denoted by `\langle box number \rangle`. Note the assignment is local, the same way `lrbox` behaves.

Unwrapping. The box material is ready for unwrapping:

```
\unhbox<box number>
```

1.4 Option hyperref

Package `url` uses math mode for typesetting urls. Break points are inserted by `\binoppenalty` and `\relpenalty`. Unhappily these break points are removed, if `hyperref` is used with option `breaklinks` and drivers that depend on `pdfmark`: `dvips`, `vtexpdfmark`, `textures`, and `dvipsone`. Thus the option `hyperref` enables the method of this package to avoid the removal of `\relpenalty` and `\binoppenalty`. Thus you get more break points. However, the link areas are still wrong for these drivers, because they are not supporting broken links.

Note, you need version 2006/08/16 v6.75c of package `hyperref`, because starting with this version the necessary hook is provided that package `setouterhbox` uses.

```
\usepackage[...]{hyperref}[2006/08/16]
\usepackage[hyperref]{setouterhbox}
```

Package order does not matter.

1.5 Example

```
1 (*example)
2 \documentclass[a5paper]{article}
3 \usepackage[url][2005/06/27]
4 \usepackage{setouterhbox}
5
6 \newsavebox{\testbox}
7
8 \setlength{\parindent}{0pt}
9 \setlength{\parskip}{2em}
10
11 \begin{document}
12 \raggedright
13
14 \url{http://this.is.a.very.long.host.name/followed/%
15 by/a/very_long_long_long_path.html}%
16
17 \sbox\testbox{%
18   \url{http://this.is.a.very.long.host.name/followed/%
19   by/a/very_long_long_long_path.html}%
20 }%
21 \unhbox\testbox
22
23 \begin{setouterhbox}{\testbox}%
24   \url{http://this.is.a.very.long.host.name/followed/%
25   by/a/very_long_long_long_path.html}%
26 \end{setouterhbox}
27 \unhbox\testbox
28
29 \end{document}
30 </example>
```

2 Implementation

Internal macros are prefixed by `\setouterhbox`, `@` is not used inside names, thus we do not need to care of its catcode if we are not using it as \LaTeX package.

2.1 Package start stuff

```
31 (*package)
```

Prevent reloading more than one, necessary for plain-TeX: Reload check, especially if the package is not used with L^AT_EX.

```

32 \begingroup
33   \catcode44 12 % ,
34   \catcode45 12 % -
35   \catcode46 12 % .
36   \catcode58 12 % :
37   \catcode64 11 % @
38   \catcode123 1 % {
39   \catcode125 2 % }
40   \expandafter\let\expandafter\x\csname ver@setouterhbox.sty\endcsname
41   \ifx\x\relax % plain-TeX, first loading
42   \else
43     \def\empty{}%
44     \ifx\x\empty % LaTeX, first loading,
45       % variable is initialized, but \ProvidesPackage not yet seen
46     \else
47       \catcode35 6 % #
48       \expandafter\ifx\csname PackageInfo\endcsname\relax
49         \def\x#1#2{%
50           \immediate\write-1{Package #1 Info: #2.}%
51         }%
52       \else
53         \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
54       \fi
55       \x{setouterhbox}{The package is already loaded}%
56     \aftergroup\endinput
57   \fi
58 \fi
59 \endgroup

```

Package identification:

```

60 \begingroup
61   \catcode35 6 % #
62   \catcode40 12 % (
63   \catcode41 12 % )
64   \catcode44 12 % ,
65   \catcode45 12 % -
66   \catcode46 12 % .
67   \catcode47 12 % /
68   \catcode58 12 % :
69   \catcode64 11 % @
70   \catcode91 12 % [
71   \catcode93 12 % ]
72   \catcode123 1 % {
73   \catcode125 2 % }
74   \expandafter\ifx\csname ProvidesPackage\endcsname\relax
75     \def\x#1#2#3[#4]{\endgroup
76       \immediate\write-1{Package: #3 #4}%
77       \xdef#1{#4}%
78     }%
79   \else
80     \def\x#1#2[#3]{\endgroup
81       #2[#3]}%
82     \ifx#1\@undefined
83       \xdef#1{#3}%
84     \fi
85     \ifx#1\relax
86       \xdef#1{#3}%
87     \fi
88   }%
89 \fi
90 \expandafter\x\csname ver@setouterhbox.sty\endcsname

```

```

91 \ProvidesPackage{setouterhbox}%
92 [2007/09/09 v1.7 Set hbox in outer horizontal mode (H0)]
93 \begingroup
94   \catcode123 1 % {
95   \catcode125 2 % }
96   \def\x{\endgroup
97     \expandafter\edef\csname setouterhboxAtEnd\endcsname{%
98       \catcode35 \the\catcode35\relax
99       \catcode64 \the\catcode64\relax
100       \catcode123 \the\catcode123\relax
101       \catcode125 \the\catcode125\relax
102     }%
103   }%
104 \x
105 \catcode35 6 % #
106 \catcode64 11 % @
107 \catcode123 1 % {
108 \catcode125 2 % }
109 \def\TMP@EnsureCode#1#2{%
110   \edef\setouterhboxAtEnd{%
111     \setouterhboxAtEnd
112     \catcode#1 \the\catcode#1\relax
113   }%
114   \catcode#1 #2\relax
115 }
116 \TMP@EnsureCode{40}{12}% (
117 \TMP@EnsureCode{41}{12}% )
118 \TMP@EnsureCode{44}{12}% ,
119 \TMP@EnsureCode{45}{12}% -
120 \TMP@EnsureCode{46}{12}% .
121 \TMP@EnsureCode{47}{12}% /
122 \TMP@EnsureCode{58}{12}% :
123 \TMP@EnsureCode{60}{12}% <
124 \TMP@EnsureCode{61}{12}% =
125 \TMP@EnsureCode{62}{12}% >
126 \TMP@EnsureCode{96}{12}% ‘

```

2.2 Interface macros

`\setouterhboxBox` The method requires a global box assignment. To be on the safe side, a new box register is allocated for this global box assignment.

```
127 \newbox\setouterhboxBox
```

`\setouterhboxFailure` Error message for both plain-TeX and L^AT_EX

```

128 \begingroup\expandafter\expandafter\expandafter\endgroup
129 \expandafter\ifx\csname RequirePackage\endcsname\relax
130   \input infwarerr.sty\relax
131 \else
132   \RequirePackage{infwarerr}[2007/09/09]%
133 \fi
134 \edef\setouterhboxFailure#1#2{%
135   \expandafter\noexpand\csname @PackageError\endcsname
136     {setouterhbox}{#1}{#2}%
137 }

```

2.3 Main part

eTeX provides much better means for checking error conditions. Thus lines marked by "E" are executed if eTeX is available, otherwise the lines marked by "T" are used.

```

138 \begingroup\expandafter\expandafter\expandafter\endgroup
139 \expandafter\ifx\csname lastnodetype\endcsname\relax

```

```

140 \catcode'T=9 % ignore
141 \catcode'E=14 % comment
142 \else
143 \catcode'T=14 % comment
144 \catcode'E=9 % ignore
145 \fi

```

`\setouterhboxRemove` Remove all kern, glue, and penalty nodes; poor man's version, if ε -TeX is not available

```

146 \def\setouterhboxRemove{%
147 E \ifnum\lastnodetype<11 %
148 E \else
149 E \ifnum\lastnodetype>13 %
150 E \else
151 \unskip\unkern\unpenalty
152 E \expandafter\expandafter\expandafter\setouterhboxRemove
153 E \fi
154 E \fi
155 }%

```

`\setouterhbox` Passing the box contents by macro parameter would prevent catcode changes in the box contents like by `\verb`. Also `\bgroup` and `\egroup` does not work, because stuff has to be added at the begin and end of the box, thus the syntax `\setouterhbox{<box number>}\endsetouterhbox` is used. Also we automatically get an environment `setouterhbox` if L^AT_EX is used.

```

156 \def\setouterhbox#1{%
157 \begingroup
158 \def\setouterhboxNum{#1}%
159 \setbox0\vbox\bgroup
160 T \kern.123pt\relax % marker
161 T \kern0pt\relax % removed by \setouterhboxRemove
162 \begingroup
163 \everypar{}%
164 \noindent
165 }

```

`\endsetouterhbox` Most of the work is done in the end part, thus the heart of the method follows:

```

166 \def\endsetouterhbox{%
167 \endgroup

```

Omit the first pass to get the penalties of the second pass.

```

168 \pretolerance-1 %

```

We don't want a third pass with `\emergencystretch`.

```

169 \tolerance10000 %
170 \hsize\maxdimen

```

Line is not underfull:

```

171 \parfillskip 0pt plus 1filll\relax
172 \leftskip0pt\relax

```

Suppress underful `\hbox` warnings, is explicit line breaks are used.

```

173 \rightskip0pt plus 1fil\relax
174 \everypar{}%

```

Ensure that there is a paragraph and prevents `\endgraph` from eating terminal glue:

```

175 \kern0pt%
176 \endgraf
177 \setouterhboxRemove
178 E \ifnum\lastnodetype=1 %
179 E \global\setbox\setouterhboxBox\lastbox
180 E \loop

```

```

181 E      \setouterhboxRemove
182 E      \ifnum\lastnodetype=1 %
183 E      \setbox0=\lastbox
184 E      \global\setbox\setouterhboxBox=\hbox{%
185 E      \unhbox0 %

```

Remove \rightskip, a penalty with -10000 is part of the previous line.

```

186 E      \unskip
187 E      \unhbox\setouterhboxBox
188 E      }%
189 E      \repeat
190 E      \else
191 E      \setouterhboxFailure{%
192 E      Something is wrong%
193 E      }{%
194 E      Could not find expected line.%
195 E      \MessageBreak
196 E      (\string\lastnodetype: \number\lastnodetype, expected: 1)%
197 E      }%
198 E      \fi
199 E      \setouterhboxRemove
200 T      \global\setbox\setouterhboxBox\lastbox
201 T      \loop
202 T      \setouterhboxRemove
203 T      \setbox0=\lastbox
204 T      \ifcase\ifvoid0 1\else0\fi
205 T      \global\setbox\setouterhboxBox=\hbox{%
206 T      \unhbox0 %

```

Remove \rightskip, a penalty with -10000 is part of the previous line.

```

207 T      \unskip
208 T      \unhbox\setouterhboxBox
209 T      }%
210 T      \repeat
211 T      \ifdim.123pt=\lastkern
212 T      \else
213 T      \setouterhboxFailure{%
214 T      Something is wrong%
215 T      }{%
216 T      Unexpected stuff was detected before the line.%
217 T      }%
218 T      \fi
219 T      \egroup
220 T      \ifcase \ifnum\wd0=0 \else 1\fi
221 T      \ifdim\ht0=.123pt \else 1\fi
222 T      \ifnum\dp0=0 \else 1\fi
223 T      0 %
224 E      \ifnum\lastnodetype=-1 %

```

There was just one line that we have caught.

```

225      \else
226      \setouterhboxFailure{%
227      Something is wrong%
228      }{%
229      After fetching the line there is more unexpected stuff.%
230 E      \MessageBreak
231 E      (\string\lastnodetype: \number\lastnodetype, expected: -1)%
232      }%
233      \fi
234 E      \egroup
235      \expandafter\endgroup
236      \expandafter\setouterhboxFinish\expandafter{%
237      \number\setouterhboxNum
238      }%

```

239 }

2.4 Environment support

Check `\@currentenv` for the case that `\setouterhbox` was called as environment. Then the box assignment must be put after the `\endgroup` of `\end{...}`.

```
240 \def\setouterhboxCurr{setouterhbox}
241 \def\setouterhboxLast#1{%
242   \setbox#1\hbox{%
243     \unhbox\setouterhboxBox
244     \unskip % remove \rightskip glue
245     \unskip % remove \parfillskip glue
246     \unpenalty % remove paragraph ending \penalty 10000
247     \unkern % remove explicit kern inserted above
248   }%
249 }
```

`\setouterhboxFinish` #1 is an explicit number.

```
250 \def\setouterhboxFinish#1{%
251   \begingroup\expandafter\expandafter\expandafter\endgroup
252   \expandafter\ifx\csname @currentenv\endcsname\setouterhboxCurr
253     \aftergroup\setouterhboxLast
254     \aftergroup{%
255       \setouterhboxAfter #1\NIL
256     \aftergroup}%
257   \else
258     \setouterhboxLast{#1}%
259   \fi
260 }
```

`\setouterhboxAfter` #1 is an explicit number.

```
261 \def\setouterhboxAfter#1#2\NIL{%
262   \aftergroup#1%
263   \ifx\#2\%
264     \else
265       \setouterhboxReturnAfterFi{%
266         \setouterhboxAfter#2\NIL
267       }%
268   \fi
269 }
```

`\setouterhboxReturnAfterFi` A utility macro to get tail recursion.

```
270 \long\def\setouterhboxReturnAfterFi#1\fi{\fi#1}
```

Restore catcodes we have need to distinguish between the implementation with and without ε -TeX.

```
271 \catcode69=11\relax % E
272 \catcode84=11\relax % T
```

2.5 Option hyperref

```
273 \begingroup
274   \def\x{LaTeX2e}%
275 \expandafter\endgroup
276 \ifx\x\fmtname
277 \else
278   \setouterhboxAtEnd
279   \expandafter\endinput
280 \fi
```

`\Hy@setouterhbox` `\Hy@setouterhbox` is the internal hook that `hyperref` uses since 2006/02/12 v6.75a.

```

281 \DeclareOption{hyperref}{%
282   \long\def\Hy@setouterhbox#1#2{%
283     \setouterhbox{#1}#2\endsetouterhbox
284   }%
285 }

286 \ProcessOptions\relax
287 \setouterhboxAtEnd
288 \end{package}

```

3 Test

3.1 Catcode checks for loading

```

289 \test1\
290 \catcode'\{=1 %
291 \catcode'\}=2 %
292 \catcode'\#=6 %
293 \catcode'\@=11 %
294 \expandafter\ifx\csname count@\endcsname\relax
295   \countdef\count@=255 %
296 \fi
297 \expandafter\ifx\csname @gobble\endcsname\relax
298   \long\def\@gobble#1{%
299     \fi
300     \expandafter\ifx\csname @firstofone\endcsname\relax
301       \long\def\@firstofone#1{#1}%
302     \fi
303     \expandafter\ifx\csname loop\endcsname\relax
304       \expandafter\@firstofone
305     \else
306       \expandafter\@gobble
307     \fi
308   {%
309     \def\loop#1\repeat{%
310       \def\body{#1}%
311       \iterate
312     }%
313     \def\iterate{%
314       \body
315       \let\next\iterate
316     \else
317       \let\next\relax
318     \fi
319     \next
320   }%
321   \let\repeat=\fi
322 }%
323 \def\RestoreCatcodes{}
324 \count@=0 %
325 \loop
326   \edef\RestoreCatcodes{%
327     \RestoreCatcodes
328     \catcode\the\count@=\the\catcode\count@\relax
329   }%
330   \ifnum\count@<255 %
331     \advance\count@ 1 %
332   \repeat
333
334 \def\RangeCatcodeInvalid#1#2{%
335   \count@=#1\relax

```

```

336 \loop
337   \catcode\count@=15 %
338   \ifnum\count@<#2\relax
339     \advance\count@ 1 %
340   \repeat
341 }
342 \expandafter\ifx\csname LoadCommand\endcsname\relax
343   \def\LoadCommand{\input setouterhbox.sty\relax}%
344 \fi
345 \def\Test{%
346   \RangeCatcodeInvalid{0}{47}%
347   \RangeCatcodeInvalid{58}{64}%
348   \RangeCatcodeInvalid{91}{96}%
349   \RangeCatcodeInvalid{123}{255}%
350   \catcode'\@=12 %
351   \catcode'\=0 %
352   \catcode'\{=1 %
353   \catcode'\}=2 %
354   \catcode'\#=6 %
355   \catcode'\[=12 %
356   \catcode'\]=12 %
357   \catcode'\%=14 %
358   \catcode'\ =10 %
359   \catcode13=5 %
360   \LoadCommand
361   \RestoreCatcodes
362 }
363 \Test
364 \csname @@end\endcsname
365 \end
366 </test1>

```

3.2 Test with package url

```

367 <*test2>
368 \nofiles
369 \documentclass[a5paper]{article}
370 \usepackage{url}[2005/06/27]
371 \usepackage{setouterhbox}
372
373 \newsavebox{\testbox}
374
375 \setlength{\parindent}{0pt}
376 \setlength{\parskip}{2em}
377
378 \begin{document}
379 \raggedright
380
381 \url{http://this.is.a.very.long.host.name/followed/%
382 by/a/very_long_long_long_path.html}%
383
384 \sbox\testbox{%
385   \url{http://this.is.a.very.long.host.name/followed/%
386     by/a/very_long_long_long_path.html}%
387 }%
388 \unhbox\testbox
389
390 \begin{setouterhbox}{\testbox}%
391   \url{http://this.is.a.very.long.host.name/followed/%
392     by/a/very_long_long_long_path.html}%
393 \end{setouterhbox}
394 \unhbox\testbox
395

```

```
396 \end{document}
397 </test2>
```

4 Installation

4.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/setouterhbox.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/setouterhbox.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for T_EX Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

4.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

4.3 Package installation

Unpacking. The `.dtx` file is a self-extracting docstrip archive. The files are extracted by running the `.dtx` through plain-T_EX:

```
tex setouterhbox.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

<code>setouterhbox.sty</code>	→ <code>tex/generic/oberdiek/setouterhbox.sty</code>
<code>setouterhbox.pdf</code>	→ <code>doc/latex/oberdiek/setouterhbox.pdf</code>
<code>setouterhbox-example.tex</code>	→ <code>doc/latex/oberdiek/setouterhbox-example.tex</code>
<code>test/setouterhbox-test1.tex</code>	→ <code>doc/latex/oberdiek/test/setouterhbox-test1.tex</code>
<code>test/setouterhbox-test2.tex</code>	→ <code>doc/latex/oberdiek/test/setouterhbox-test2.tex</code>
<code>setouterhbox.dtx</code>	→ <code>source/latex/oberdiek/setouterhbox.dtx</code>

If you have a `docstrip.cfg` that configures and enables `docstrip`’s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

4.4 Refresh file name databases

If your T_EX distribution (teT_EX, miK_TE_X, ...) relies on file name databases, you must refresh these. For example, teT_EX users run `texhash` or `mktextlsr`.

¹<http://ftp.ctan.org/tex-archive/>

4.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk setouterhbox.pdf unpack_files output .
```

Unpacking with \LaTeX . The `.dtx` chooses its action depending on the format:

plain- \TeX : Run `docstrip` and extract the files.

\LaTeX : Generate the documentation.

If you insist on using \LaTeX for `docstrip` (really, `docstrip` does not need \LaTeX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{setouterhbox.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with `pdf \LaTeX` :

```
pdflatex setouterhbox.dtx
makeindex -s gind.ist setouterhbox.idx
pdflatex setouterhbox.dtx
makeindex -s gind.ist setouterhbox.idx
pdflatex setouterhbox.dtx
```

5 References

- [1] Damian Menscher, news:comp.text.tex, *overlong lines in List of Figures*, <dh058t\$gbd\$1@news.ks.uiuc.edu>, 23rd September 2005. <http://groups.google.com/group/comp.text.tex/msg/79648d4cf1f8bc13>
- [2] David Kastrup, news:comp.text.tex, *Re: ANN: outerhbox.sty – collect horizontal material, for unboxing into a paragraph*, <85y855lrx3.fsf@lola.goethe.zz>, 7th October 2005. <http://groups.google.com/group/comp.text.tex/msg/7cf0a345ef932e52>
- [3] Michael Downes, *Line breaking in $\backslash unboxed$ Text*, TUGboat 11 (1990), pp. 605–612.
- [4] Sebastian Rahtz, Heiko Oberdiek: *The hyperref package*; 2006/08/16 v6.75c; CTAN:macros/latex/contrib/hyperref/.

6 History

[2005/10/05 v1.0]

- First version.

[2005/10/07 v1.1]

- Option `hyperref` added.

[2005/10/18 v1.2]

- Support for explicit line breaks added.

[2006/02/12 v1.3]

- DTX format.
- Documentation extended.

[2006/08/26 v1.4]

- Date of hyperref updated.

[2007/04/26 v1.5]

- Use of package infwarerr.

[2007/05/17 v1.6]

- Standard header part for generic files.

[2007/09/09 v1.7]

- Catcode section added.

7 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		108, 112, 114, 140, 141, 143,
\#	292, 354	144, 271, 272, 290, 291, 292,
\%	357	293, 328, 337, 350, 351, 352,
\@	293, 350	353, 354, 355, 356, 357, 358, 359
\@firstofone	301, 304	\count@ 295, 324,
\@gobble	298, 306	328, 330, 331, 335, 337, 338, 339
\@undefined	82	\countdef 295
\[355	\csname 40,
\]	263, 351	48, 74, 90, 97, 129, 135, 139,
\{	290, 352	252, 294, 297, 300, 303, 342, 364
\}	291, 353	
\]	356	
		D
_	358	\DeclareOption 281
		\documentclass 2, 369
		\dp 222
		E
A		\empty 43, 44
\advance	331, 339	\end 26, 29, 365, 393, 396
\aftergroup	56, 253, 254, 256, 262	\endcsname 40,
B		48, 74, 90, 97, 129, 135, 139,
\begin	11, 23, 378, 390	252, 294, 297, 300, 303, 342, 364
\body	310, 314	\endgraf 176
C		\endinput 56, 279
\catcode	33, 34, 35, 36, 37, 38, 39, 47, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 94, 95, 98, 99, 100, 101, 105, 106, 107,	\endsetouterhbox 166, 283
		\everypar 163, 174
		F
		\fmtname 276

H		\RangeCatcodeInvalid	
\hbox	184, 205, 242	334, 346, 347, 348, 349
\hsize	170	\repeat ...	189, 210, 309, 321, 332, 340
\ht	221	\RequirePackage	132
\Hy@setouterhbox	281	\RestoreCatcodes ..	323, 326, 327, 361
I		\rightskip	173, 244
\ifcase	204, 220	S	
\ifdim	211, 221	\sbox	17, 384
\ifnum	147, 149,	\setbox	159,
178, 182, 220, 222, 224, 330, 338		179, 183, 184, 200, 203, 205, 242	
\ifvoid	204	\setlength	8, 9, 375, 376
\ifx	41,	\setouterhbox	156, 283
44, 48, 74, 82, 85, 129, 139, 252,		\setouterhboxAfter	255, 261
263, 276, 294, 297, 300, 303, 342		\setouterhboxAtEnd ..	110, 111, 278, 287
\immediate	50, 76	\setouterhboxBox	127,
\input	130, 343	179, 184, 187, 200, 205, 208, 243	
\iterate	311, 313, 315	\setouterhboxCurr	240, 252
K		\setouterhboxFailure	128, 191, 213, 226
\kern	160, 161, 175	\setouterhboxFinish	236, 250
L		\setouterhboxLast	241, 253, 258
\lastbox	179, 183, 200, 203	\setouterhboxNum	158, 237
\lastkern	211	\setouterhboxRemove	
\lastnodetype	146, 161, 177, 181, 199, 202
147, 149, 178, 182, 196, 224, 231		\setouterhboxReturnAfterFi	265, 270
\leftskip	172	T	
\LoadCommand	343, 360	\Test	345, 363
\loop	180, 201, 309, 325, 336	\testbox	6, 17,
M		21, 23, 27, 373, 384, 388, 390, 394	
\maxdimen	170	\the	98, 99, 100, 101, 112, 328
\MessageBreak	195, 230	\TMP@EnsureCode	
N		109, 116, 117, 118, 119,
\newbox	127	120, 121, 122, 123, 124, 125, 126	
\newsavebox	6, 373	\tolerance	169
\next	315, 317, 319	U	
\NIL	255, 261, 266	\unhbox	21,
\nofiles	368	27, 185, 187, 206, 208, 243, 388, 394	
\noindent	164	\unkern	151, 247
\number	196, 231, 237	\unpenalty	151, 246
P		\unskip	151, 186, 207, 244, 245
\PackageInfo	53	\url	14, 18, 24, 381, 385, 391
\parfillskip	171, 245	\usepackage	3, 4, 370, 371
\parindent	8, 375	V	
\parskip	9, 376	\vbox	159
\penalty	246	W	
\pretolerance	168	\wd	220
\ProcessOptions	286	\write	50, 76
\ProvidesPackage	45, 91	X	
R		\x	40, 41, 44, 49,
\raggedright	12, 379	53, 55, 75, 80, 90, 96, 104, 274, 276	